

PAPER 8

**IMPACT OF INNOVATION AND INDOOR
ENVIRONMENT QUALITY FEATURES ON
PROPERTY PRICE OF CONDOMINIUM UNITS
IN SENTUL, KUALA LUMPUR**

PROJECT TEAM:

Professor Dr. Megat Mohd Ghazali Megat Abdul Rahman

[\(megat@utm.my\)](mailto:megat@utm.my)

&

Dr. Khadijah Husin

Dr. Robiah Suratman

Dr. Mohd Nadzry Jaafar

Universiti Teknologi Malaysia (UTM)

ABSTRACT

Green building concept, a trend in developed nations, has spread to Malaysia. The green features improve the functions of buildings and promises higher returns. Indoor environmental quality (IEQ) and Innovation (IN) are among six criteria of Green Building Index (GBI) that building owner needs to attain for its building to be certified as 'green' in Malaysia. The benefit of IEQ is to create conducive indoor environment for building occupants for living and working. While IN is to meet the objectives of GBI through green building design initiatives and sustainable construction practices. The research question is does IEQ and IN features give direct impact to residential property price? Therefore, this paper will review the broad literature regarding the impacts of indoor environmental quality (IEQ) and innovation (IN) for residential property and its implication to market price and rent. The early hypothesis of this paper anticipate that innovation (IN) and indoor environmental quality (IEQ) features will indirectly increase residential property market price and rent in spite of the lack of comparative financial data. From this paper, it is hope that the positive impacts of these features will encourage building owners, developers and other main development actors to put these criteria into the same consideration as other criteria in GBI as one of the way to compensate the impact of the building towards economic, environment and social features.

Keyword: Green Building Index (GBI), green building features, indoor environmental quality, innovation, property price and rental, residential property

EXECUTIVE SUMMARY

1.0 INTRODUCTION

Previous studies have identified four major categories of factors that affecting the housing price, namely structural, economic, demographical and environmental factors (Damigos and Anyfantis, 2011; Hui *et al.*, 2007; Jiao & Liu, 2010). Environmental factor is related to the environmentally resources consumption and energy savings. When it comes to energy consumption, based on the analysis conducted, almost 40% of the total energy consumption is for the construction sector and about 30% of energy consumption is for the purpose of housing.

Malaysia shows a moderate population growth with population density of about 29.9 million and continues to grow at the rate of 2.4% per annum (Department of Statistics Malaysia, 2013). The need and demand for housing were overwhelming especially in urban areas. The compact and rapid growth of development consists of several types of construction that leads to higher energy consumption as well as carbon emission. Due to global warming and other imbalance environmental problems, construction sector took measures in reducing the impacts by balancing the average air temperature and composition of greenhouse gases by introducing the green building concept (Tan, 2012).

However, Malaysian housing developers are still weighing the costs and benefits to build green building since many of them are very concerned with the extra construction cost. Besides, the additional construction is recognized among the main barriers in green building development. Thus, these issues become more crucial due to the unstable housing prices in Malaysia that may affect their profit.

In Malaysia, green building is certified by six main criteria. They are energy efficiency (EE), water efficiency (WE), indoor environmental quality (IEQ), sustainable site management and planning (SM), material and resources (MR) as well as innovation (IN) (Greenbuildingindex Sdn. Bhd., 2013). Figure 1 below ranked the importance of green building criteria in GBI. IEQ is considered second in order of significance for new non-

residential building and third for residential whereas Innovation is the least importance in every types of building. The significant criteria of IEQ and IN will now be discussed.




Figure 1: GBI point Allocation (Ghodrati, Samari and Mohd Shafiei, 2012).

There are a number of studies on climate change impacts on diverse aspects of human life, such as energy consumption, water resources, health, public awareness, politics, government incentives and agriculture have been conducted. Other than that, direct contact with nature through green space allocation around the building for air quality enhancement, health and interior quality improvement does bring positive impacts on the urban real estate market. Therefore, every single aspect especially in terms of how much to pay for green and environmental benefits will be explained.

2.0 GREEN BUILDING

Samari *et al.*, (2013) defined that green buildings are designed to reduce negative impacts on the environment as well as increase occupant’s health by addressing five categories. They are:

- i. Sustainable site planning;
- ii. Safeguarding water and water efficiency;

- iii. Energy efficiency, renewable energy and lower greenhouse gas emissions;
- iv. Conservation and the reuse of materials and resources; and
- v. Improved health and indoor environmental quality.

Many researchers have listed green building benefits through different standpoint and aspects. When it comes to green building, the environmental benefits will be the ultimate aims to be achieved. Singapore Green Building Council (2010) explained that the benefits of green building are mainly to reduce pollution, waste and environmental degradation. Table 1 below shows the numbers of benefits reported by those engaging in green building for new green buildings as well as the greening of existing building through retrofits and renovation projects according to Mc-Graw Hill Construction (2013).

Table 1: Green Building Benefits Expected from Green Building Investment.

Benefits	New Green Building	Green Retrofit
Decreased operating costs over one year	8%	9%
Decreased operating costs over five years	15%	13%
Increased building value for green versus non-green projects	7%	5%
Increased Asset value for green versus non-green projects	5%	4%
Payback time for green investments	8 years	7 years

Another significance of green building construction is to improve quality of life of its inhabitants and also translates the building design into better health and productivity. Green building concept also meant to construct a building to minimize the impact of the building to the environment by reducing demand on resources and materials.

2.1 Indoor Environmental Quality Features

Indoor environmental quality (IEQ) is a key component in the evaluation for meeting the concept of green building that aims towards sustainable development. There are four

main elements in IEQ, which are (1) thermal (temperature and humidity); (2) noise comfort; (3) indoor air quality (air movement CO₂ concentration); and (4) lighting. The main purpose of applying the IEQ element is to prevent from experiencing sick building syndrome (Sulaiman, Yusof and Kamarudin, 2013).

Global warming is anticipated to have strong implications on future energy demand of buildings; with regards to the overheating aspects. Therefore, indoor environmental quality characteristic is the solution. An imbalance of IEQ will give negative impacts to facilities, building and occupants. It is not limited for air pollution, thermal conditions, humidity, sound, lighting and odor but also includes the use of energy, design and natural ventilation (Aliffadilah, 2008).

Indoor environmental quality is rarely considered as a priority in most development planning and management. IEQ elements account for 12% of green building evaluation criteria for residential building (Greenbuildingindex Sdn. Bhd., 2013). However, the concentration for the balancing of indoor environmental quality are crucial as IEQ are very closely related to thermal comfort that comprise the temperature and humidity that will influence the indoor quality. Moreover, the quality of occupant's health and satisfaction are more important since they will be affected by the quality function in a building. According to Sulaiman, Yusof and Kamarudin (2013), 13% of respondent give suggestions to improve building indoor quality through green technology.

According to GBI, IEQ can be achieved through good quality performance in indoor air quality, acoustics, visual and thermal comfort. These will involve the use of low volatile organic compound materials, application of quality air filtration, proper control of air temperature, movement and humidity. Based on this achievement, IEQ will contribute to a conducive environment to human health and productivity (Browning and Romm, 1995). Hence, occupants will be more satisfied on the thermal comfort, air quality and overall workspace.

2.2 Innovation

Innovation is more likely associated with innovative design and green approaches to meet GBI objectives. Among the green approaches by developer include the application of green landscape on the wall, roof and around the building which can help to reduce the energy usage and improve thermal comforts of the occupants (Akbari and Taha, 1992). This will also contribute to better interior environment quality in the building. Thus, among the green approaches that can contribute under this criterion are vertical green wall, herb and food garden, external shade devices as well as LED façade lighting.




Figure 2: Element tools compliance as Innovation.

According to Figure 2, innovation comprises of three main criteria in GBI qualifications namely Energy Efficiency, Water Efficiency and Site Project Development and Management. These elements provide their own benefits and advantages prior to environmental enhancements. As revealed in Figure 1 above, it seems that Innovation features are likely to take an insignificant part in green building. However, Figure 2 show that Innovation covers the main criteria i.e. the tools in Energy Efficiency. For instance, even though solar energy is the worst enemy to the thermal comfort, the use of photo-voltaic energy in Malaysia, seems to be utilized well in order to assist in energy saving. Furthermore, the application of green roof where planting of vegetation on rooftop, is an extremely effective method for reducing heat island effect that has become common phenomenon in cities (Wagner and Omran, 2011).

3.0 GREEN BUILDING DEVELOPMENT IN MALAYSIA: AN OVERVIEW

Sustainability has become more significant in today's housing property market. The green home have begun in Europe, United States and Australia around 25 years ago but is a new construction concept in Malaysia. Along with the determination created in 10th Malaysia Plan, the introduction of Malaysia green building rating system, Green Building Index and the ultimate aim of saving 40% of CO₂ emission till 2020, Malaysia can be on the forefront of the development to embark on viable environmental survival strategies (Wagner and Omran, 2011).

Today, the concept of green building is growing rapidly. The developers are racing to develop green technology to meet its high demand and the improvement of awareness to protect the environment. In built environment, green building is one of the methods for achieving sustainable development. In addition, encouragement and incentives provided by the government, properties with green technology have bright opportunity in property market compared with non-green technology properties.

In Malaysia, green building is assessed and recognized by Green Building Index (GBI). GBI has highlighted six criteria to be achieved by building owner to label their building as 'green'. They are energy efficiency, water efficiency, material and resources, sustainable site management and planning, indoor environmental quality and innovation.

Most of the researchers have discovered the obvious contribution of green building in terms of energy efficiency, water efficiency, material and resources and also sustainable site management and planning. There are little specific studies in the literature to examine the effects of housing characteristics on green homes inhabiting intentions in Malaysians context. The idea seems to be that housing characteristics may lead to buying intentions for eco-friendly homes. The physical structure of the house could be important in explaining the motivations of green home owning (Tan, 2008). However, to the best of researcher's knowledge, in the context of Malaysia there is no single study emphasized on the significant role of indoor environmental quality (IEQ) and innovation (IN) criteria especially its interrelation with property price and value.

4.0 GREEN BUILDING CRITERIA AFFECT PRICE AND RENTAL

Green building is the sustainable construction developments' foundation. Construction industry with high contributes to gross domestic product, has undeniable impacts on the economy. In addition, the United Nations explains that "sustainable development" is a collection of methods in order to relieve poverty, create the equitable standards of living, satisfy the basic needs of all peoples, and set up sustainable political practices while taking the essential steps to avoid irreversible damages to the environment in the long-term.

It has been pointed out that IEQ and IN is relatively providing many benefits for occupant's health as well as minimizing the building impact to the environment. IEQ can effect occupant's productivity, profitability, customer satisfaction and innovation or at least satisfied on the thermal comfort, air quality and overall workspace compared to non-green building (Heerwagen, 2000). Additionally it has been said that IEQ create conducive environment for human health and improve productivity than building which use standard practices (Browning and Romm, 1995). While, green approach (Innovation) i.e. landscape on wall, roof and around building will provide better visual attraction which linked to better health as well as connection with nature (Gobster and Hull, 2000).

Kauko (2003) has identified environment as one of the factors to be taken into account in determining housing property value. Initially, selling price, take up rate, occupancy rate and rental rate are inter-related. When the demand for house increases, consequently there will be an increase in the rental rate, as the supply for housing in the short run is fixed. This will attract investor to purchase building as an investment and in due course as there is limited supply, the price for the building increase.

Due to the increase of price in green building, investors will find it profitable to build new green building, hence increasing the supply in the long run. Occupancy and take up rate is dependent on the tertiary activity of national economies. Where there is an increase in the tertiary activity of the economy, it will reflect in the increase in demand for housing, hence it increases in occupancy and take up rate of existing green housing.

The main difference between green office building and conventional building is the green features implemented to the building and they are given green certification according to their degree of green features. In order to determine the greenness of the building, various countries have their own green accreditation agencies that are responsible in calibrating the green standard features. The green eco-labeling has a positive impact on the market and rental value (Falkenbach *et al.*, 2010; Eichholtz, Kok and Quigley, 2009; Fuerst and McAllister, 2010; Harrison and Seiler, 2011; Geltner *et al.*, 2007). At the local context, there are no studies yet to reveal that green eco-labeling give a positive impact on the market and rental value.

Innovation and indoor environmental quality will provide an attractive view, open space preservation and convenient recreation opportunities to the building occupant. People will value these amenities and can be reflected in increased real property values and marketability of the property itself. These values incorporate such criteria into planning, design and marketing for new and redeveloped properties.

A report published by the Royal Institution of Chartered Surveyors concludes that, “A clear link is beginning to emerge between the market value of a building and its green features and related performance” (Anghel and Onofrei, 2009). The shortcomings need to be dealt with for two reasons as in Figure 3 below;




Figure 3 : The links between sustainable design features and economic benefits.

There are several studies and articles that measured the impact of sustainable design features or particular aspects of environmental aspects on the building market value (Nevin and Watson, 1988; McNamara, 2002; Sayce *et al.*, 2004; Lutzkendorf and Lorenz, 2005). However, they are still far behind the resolution and finding, which concludes

that there is direct impact of these design features. For instance, generally there are many researches that focused on the energy efficiency impacts rather than other green features. The virtuous circles of green features impacts consist of:

- The three classifications of main drivers in green investment are external drivers, corporate drivers and property level drivers. These three are responsible to assist and create opportunity to real estate. In green investment, investor could indicate that green property fetched a higher in market value compared to non-certified buildings (Falkenbach *et al.*, 2010, Harrison and Seiler, 2011; Fuerst and McAllister, 2011; Eichholtz *et al.*, 2009; Scen *et al.*, 2011).
- In energy efficiency building, it shows that this type of building quantify the added value i.e. green office building are 64 percent higher in sale price while Energy Star rated buildings were approximately 15 percent higher prices (Pivo and Fisher, 2009; Hodgson, 2008).
- Certified green building and higher green index building had more environment friendly features and commanded a higher rental premium as well as fetched relatively higher in rental income (Falkenbach *et al.*, 2010, Harrison and Seiler, 2011; Fuerst and McAllister, 2011; Eichholtz *et al.*, 2009).
- Precisely, the green office buildings indicates 36 percent higher in rental rates while Energy Star rated buildings were approximately 8 percent higher in rental income compared to non-rated building (Pivo and Fisher, 2009; Hodgson, 2008).
- LEED and Energy Stars rated office building fetched better occupancy rate (Harrison and Seiler, 2011; Eichholtz *et al.*, 2009) and green building reported to be 5 percent higher occupancy rates compared to conventional buildings.
- US building owner indicates that energy efficiency building will assist increment building value (Eichholtz *et al.*, 2009) and large proportion of residential property market participants consider the buildings energy consumption as an important criteria when deciding to buy or rent a flat.

- On the other hand, green building practices can reduce operating costs by as much as 9 percent, increase building values by 7.5 percent and realize a 6.6 percent increase in return of investment (InviroTech, 2014).

Figure 4 demonstrates the interrelations of green features level with occupancy rate and capital value and construction costs. The figure illustrate that there are directly proportional and positive impact between green aspects and capital as well as the occupancy rate. However, the construction costs are relatively increased as more green trends promoted.




Figure 4: Initial impact of Green Building (Langdon, 2007).

4.1 The Need for Sustainability Assessment Information

Generally, the idea of consumers' willingness to pay more for greener products is debatable. It is reported that 60% would not pay more for greener products, 40% would pay more for greener products. Besides, some of the respondents said that, "it makes no difference whether it is environmentally friendly or not". (Sizelove, 2012).

The incremental cost to design and construction for high-performance or green buildings typically range from zero to eight percent (0 to 8%) than the costs to design and construct conventional buildings. The fear that green buildings might increase

construction costs tremendously makes it hard to sell to private developers or government agencies despite their undeniable advantages for the environmental and thermal comfort. This factor was believed will lead to the additional price for the green housing price and rental. Although green buildings provide a wide range of benefits for the society, green building development suffers from different kinds of market barriers in developing countries including Malaysia. Therefore, it is important to observe information on the emerging link between market value and green features.

Financial decision makers are provided with empirical proof of the positive effects of sustainable design features and able to reduce investment risks as well as to generate positive cash flow (Lutzkendoft and Lorenz, 2005). The expert believes that friendly buildings will become more desirable property assets in the future whereas the non-green buildings will have depreciation in value (McNamara, 2002). This is the reason why it is vital to get better understand on how sustainable building features affect property risks and return.

Moreover, most people naturally want a good and useful product at a reasonable price and it is noticeable that when it comes to “green” products, quality can vary a lot and most of them cost extra. Moreover, the modernization factor implied in the building will affect the price i.e. Flats within fully modernized or new buildings lost only 6.5% during the ten year period, while prices for flats within partially or un-modernized buildings decreased by 12 percent and 13.5% respectively (Lutzkendoft and Lorenz, 2005).

The perception of property with emphasize sustainability related building characteristics and performance aspects are seen important in determined of a property worth and market value (Lutzkendoft and Lorenz, 2005). Furthermore, poor environment is seen as an investment risk and reason for not buying or renting a commercial residential premise.

5.0 CONCLUSION

Sustainability aims in closing the gap between economics and the real world, as economists would say externalities. The significant things are to know how much to charge, which means putting price on the environment. The balance of the financial, environmental and operational aspects of every decision should be clearly understood. Include all the information needed for purpose in valuation, appraisal, investment and building guidelines, it is vital to define and clarify the basics for description and contribution to sustainable development. In conclusion, from the above discussion it was shown that innovation and indoor environmental quality indirectly raise up the market price and rent of property in spite the lack of comparative financial data. The positive impacts of sustainable design will not only move the price up but will create a positive move on the sustainable construction.

6.0 ACKNOWLEDGEMENTS

The authors are gratefully acknowledge and extend our special thanks to National Institute of Valuation (INSPEN) under the Ministry of Finance Malaysia and NAPREC Research Grant (Vot No.: R.J130000.7311.4B141) with collaboration of Universiti Teknologi Malaysia, for funding this research as well as sponsoring our participation in European Real Estate Society 22nd Annual Conference 2015. Additionally, the author is grateful for the support and assistance given by LAnDS Research Group to undertake this research.

Bibliography

- Akbari, H. and Taha, H. 1992. "The Impact of Trees and White Surfaces on Residential Heating and Cooling Energy Use in Four Canadian Cities", *Energy, the International Journal*, Vol. 17, No. 2, pp. 141-149.
- Aliffadilah, Jaafar (2008). *The Indoor Environmental Impact on Residential – Industrial Neighborhood in Paka Industrial Estate, Terengganu*. Bachelor of Civil Engineering, Faculty of Civil Engineering, Universiti Teknologi Malaysia, Malaysia.
- Anghel, I., & Onofrei, M. (2009). Sustainability Aspects Of Property Valuations. *Theoretical and Applied Economics*, 5(05 (534) (supplement)), 7-13.
- Browning, W. and Romm, J. (1995). *Greening and the Bottom Line: Increasing Productivity through Energy Efficient Design*. In *Proceedings of the Second International Green Buildings Conference and Exposition*, Eds. K.M.Whitter and T.B. Cohn, National Institute of Standards and Technology (NIST), Special Publications 888, Gaithersburg, MD.
- Damigos, D. and Anyfantis, F. (2011). The value of view through the eyes of real estate experts: A Fuzzy Delphi Approach. *Landscape and Urban Planning*, 101(2): 171-178.
- Department of Statistics Malaysia (2013). **Population projection from 2010 – 2040 from** http://www.statistics.gov.my/portal/download/Population/files/population_projections/Population_Projection_2010-2040.pdf achieved on 12 January 2014.
- Eichholtz, P., Kok, N., & Quigley, J. (2009). *Doing Well By doing Good? Green office Buildings*. Fisher Center for real estate and urban economics: UC Berkeley, January, 2009.
- Falkenbach, H., Lindholm, A., and Schleich, H. (2010). Environmental sustainability: Drivers for the real estate investor. *J.R. Estate Lit.* 18, pp. 201–223.
- Fuerst, F., & McAllister, P. (2011). Green Noise or Green Value? Measuring the Price Effects of Environmental Certification in Commercial Building. *Journal of Real Estate Economics*, 39(1), 45-69.
- Geltner, D.M., Miller, N.G., Clayton, J., & Eichholtz, P. (2007). *Commercial Real Estate Analysis and Investments*: Thomson South-Western.

- Ghodrati, N., Samari, M., & Mohd Shafiei, M. (2012). Green Buildings Impacts on Occupants' Health and Productivity. *Journal of Applied Sciences Research*, 8(8), 4235-4241.
- Gobster, P. H., & Hull, R. B. (2000). *Restoring nature: perspectives from the social sciences and humanities*. Island Press.
- Greenbuildingindex Sdn. Bhd. (2013). GBI Assessment Criteria For Residential New Construction Version 3.0 from <http://www.greenbuildingindex.org/Resources/GBI%20Tools/GBI%20RNC%20Residential%20Tool%20V3.0.pdf> achieved on 12 January 2014.
- Harrison, D., & Seiler, M. (2011). The political economy of green office buildings. *Journal of Property Investment & Finance*, 29(4/5), 551-565.
- Heerwagen, J. H. (2000). Green Buildings, Organizational Success and Occupants Productivity. *Journal of Building Research and Information*. 5(28). Page 353-367.
- Hodgson, M. (2008). Acoustical evaluation of six 'green' office buildings. *Journal of Green Building*, 3(4), 108-118.
- Hui E.C.M., Chau C.K., Pun L. and Law M.Y. (2007), Measuring the Neighboring and Environmental Effects on Residential Property Value: From Hedonic Approach to Spatial Weighting Matrix, *Building and Environment*, 42, 2333-2343.
- InviroTech (2014). GBI Certification in Malaysia from <http://invirotech.com/blog/2012/03/gbi-certification-in-malaysia/> achieved on 12 January 2014.
- Jiao, L., & Liu, Y. (2010). Geographic field model based hedonic valuation of urban open spaces in Wuhan, China. *Landscape and Urban Planning*, 98(1), 47-55.
- Kauko, T. (2003) Residential Property Value and Locational Externalities – on the Complementarity and Substitutability of Approaches. *Journal of Property Investment and Finance* Vol. 21, No. 3. pp. 250 – 270.
- Lutzkendoft, T., & Lorenz, D. (2005). *Sustainable property investment: valuing sustainable buildings through property performance assessment*. Building Research and Information, 33(3), 212-234.
- Mc-Graw Hill Construction (2013). Smart Market Report on World Green Building Trends: Business Benefits Driving New and Retrofit Market Opportunities in Over 60 Countries from

- [http://www.worldgbc.org/files/8613/6295/6420/World Green Building Trends SmartMarket Report 2013.pdf](http://www.worldgbc.org/files/8613/6295/6420/World_Green_Building_Trends_SmartMarket_Report_2013.pdf) achieved on 12 January 2015.
- McNamara, P. (2002), "Towards a research agenda for socially responsible investment in property", speech given at the European Real Estate Society, August from www.institutionalshareowner.com/pdf/SRI-in-property.pdf accessed on March 30 2014.
- Nevin, R., & Watson, G. (1998). Evidence of rational market valuations for home energy efficiency.
- Pivo, G., and Fischer, J. (2008). *Investment returns from responsible Property investments: energy efficient, transit-oriented, and urban regeneration office Properties in the US from 1998-2007*. Indiana University, October 2008.
<http://kelley.iu.edu/bcres/files/research/PivoFisher10-10-08.pdf>
- Samari, M., Ghodrati, N., Esmaeilifar, R., Olfat, P., & Shafiei, M. W. M. (2013). The Investigation of the Barriers in Developing Green Building in Malaysia. *Modern Applied Science*, 7(2), p1.
- Sayce, S., Ellison, L. and Smith, J. (2004), "Incorporating sustainability in commercial property appraisal: evidence from the UK", Proceedings of the 11th European Real Estate Society Conference (ERES 2004), Milan.
- Scen, B., Kerstin, B., Gerrit, L., Daniela, P., Christian, S. and David, S. (2011) Improving the Market Impact of Energy Certification by Introducing Energy Efficiency and Life-Cycle Cost into Property Valuation Practice. Immovalue project, Report D2.
- Sizelove, Rebecca (2012). Nearly Half of Adults Are More Inclined to Buy Eco-Friendly Products, and Four in Ten Would Pay More for Them **from** <http://www.ipsos-na.com/news-polls/pressrelease.aspx?id=55988> achieved on 12 January 2014
- Solidiance Singapore and Singapore Green Building Council (2010). *Will it pay to build green: Singapore as green building hub* from <http://www.slideshare.net/dduhamel/solidiance-singapore-greenbuildingshubinasia> achieved on 12 January 2014.
- Sulaiman, M. A., Yusoff, W. W., and Kamarudin, W. W. (2013). Evaluation of Indoor Environmental Quality (IEQ) on dense Academic Building: Case Studies Universiti Tun Hussein Onn Malaysia. *International Journal of Scientific and Research Publications*, 348.

Tan, T. H. (2008). *Determinants of homeownership in Malaysia*, *Habitat International*, 32 (3), 318 – 335.

Tan, Teck-Hong (2012). *Predicting homebuyers' intentions of inhabiting eco-friendly homes: The case of a developing country*. International Real Estate Symposium (IRERS) 2012: Globalization of Real Estate: Transforming and Opportunities (6th), 24-25 Apr 2012, National Institute of Valuation (INSPEN), Ministry of Finance, Malaysia.

Wagner, K., Omran, A. (2011). The making of green buildings: viable pathways to curb global warming in Malaysia. *Annals of Faculty Engineering HUNEDOARA – International Journal of Engineering*. IX (2): 199-204 from <http://annals.fih.upt.ro/pdf-full/2011/ANNALS-2011-2-41.pdf>